

HIV Infection Cases Reported during 2002
(from the 02/27/03 HARS data set)

HSDA = Temple-Killeen

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	13-19	Count	2	3	5
		% within Sex	18.2%	30.0%	23.8%
	25-29	Count	1	1	2
		% within Sex	9.1%	10.0%	9.5%
	30-39	Count	5	5	10
		% within Sex	45.5%	50.0%	47.6%
	40-49	Count	3		3
		% within Sex	27.3%		14.3%
	60-69	Count		1	1
		% within Sex		10.0%	4.8%
Total	Count	11	10	21	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Temple-Killeen

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	4	3	7
		% within Sex	36.4%	30.0%	33.3%
	African American	Count	6	5	11
		% within Sex	54.5%	50.0%	52.4%
	Hispanic	Count	1	2	3
		% within Sex	9.1%	20.0%	14.3%
	Total	Count	11	10	21
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Temple-Killeen

HIV Infection Cases Reported during 2002
(from the 02/27/03 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	7		7
		% within Sex	63.6%		33.3%
	IDU	Count		3	3
		% within Sex		30.0%	14.3%
	M-M & IDU	Count	2		2
		% within Sex	18.2%		9.5%
	Heterosexual Contact	Count		3	3
		% within Sex		30.0%	14.3%
	Not Classified	Count	2	4	6
		% within Sex	18.2%	40.0%	28.6%
Total	Count	11	10	21	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Temple-Killeen

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped	Total
			Adult/Adol escent	
Race-Ethnicity	White Non-Hispanic	Count	7	7
		% within Adult-Ped	33.3%	33.3%
	African American	Count	11	11
		% within Adult-Ped	52.4%	52.4%
	Hispanic	Count	3	3
		% within Adult-Ped	14.3%	14.3%
Total	Count	21	21	
	% within Adult-Ped	100.0%	100.0%	

a. HSDA = Temple-Killeen

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped	Total
			Adult/Adol escent	
Sex	Male	Count	11	11
		% within Adult-Ped	52.4%	52.4%
	Female	Count	10	10
		% within Adult-Ped	47.6%	47.6%
Total		Count	21	21
		% within Adult-Ped	100.0%	100.0%

a. HSDA = Temple-Killeen

HIV Infection Cases Reported during 2001
(from the 02/27/03 HARS data set)

HSDA = Temple-Killeen

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	5-12	Count		1	1
		% within Sex		11.1%	3.7%
	13-19	Count	2	2	4
		% within Sex	11.1%	22.2%	14.8%
	20-24	Count	3		3
		% within Sex	16.7%		11.1%
	25-29	Count	2	2	4
		% within Sex	11.1%	22.2%	14.8%
	30-39	Count	8		8
		% within Sex	44.4%		29.6%
	40-49	Count	3	4	7
		% within Sex	16.7%	44.4%	25.9%
Total	Count	18	9	27	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Temple-Killeen

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	5	3	8
		% within Sex	27.8%	33.3%	29.6%
	African American	Count	11	5	16
		% within Sex	61.1%	55.6%	59.3%
	Hispanic	Count	2	1	3
		% within Sex	11.1%	11.1%	11.1%
Total	Count	18	9	27	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Temple-Killeen

HIV Infection Cases Reported during 2001
(from the 02/27/03 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	6		6
		% within Sex	33.3%		22.2%
	IDU	Count	2		2
		% within Sex	11.1%		7.4%
	M-M & IDU	Count	2		2
		% within Sex	11.1%		7.4%
	Heterosexual Contact	Count	1	2	3
		% within Sex	5.6%	22.2%	11.1%
	Not Classified	Count	7	6	13
		% within Sex	38.9%	66.7%	48.1%
	Ped Other-Undet	Count		1	1
		% within Sex		11.1%	3.7%
Total	Count	18	9	27	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Temple-Killeen

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Race-Ethnicity	White Non-Hispanic	Count		8	8
		% within Adult-Ped		30.8%	29.6%
	African American	Count	1	15	16
		% within Adult-Ped	100.0%	57.7%	59.3%
	Hispanic	Count		3	3
		% within Adult-Ped		11.5%	11.1%
Total	Count	1	26	27	
	% within Adult-Ped	100.0%	100.0%	100.0%	

a. HSDA = Temple-Killeen

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Sex	Male	Count		18	18
		% within Adult-Ped		69.2%	66.7%
	Female	Count	1	8	9
		% within Adult-Ped	100.0%	30.8%	33.3%
Total		Count	1	26	27
		% within Adult-Ped	100.0%	100.0%	100.0%

a. HSDA = Temple-Killeen

Cumulative Reported HIV Infection Cases through 12/31/02
(from the 02/27/03 HARS data set)

HSDA = Temple-Killeen

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	5-12	Count		1	1
		% within Sex		3.1%	1.0%
	13-19	Count	5	7	12
		% within Sex	7.6%	21.9%	12.2%
	20-24	Count	7	1	8
		% within Sex	10.6%	3.1%	8.2%
	25-29	Count	8	6	14
		% within Sex	12.1%	18.8%	14.3%
	30-39	Count	27	12	39
		% within Sex	40.9%	37.5%	39.8%
	40-49	Count	17	4	21
		% within Sex	25.8%	12.5%	21.4%
	50-59	Count	2		2
		% within Sex	3.0%		2.0%
	60-69	Count		1	1
		% within Sex		3.1%	1.0%
Total		Count	66	32	98
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Temple-Killeen

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	23	12	35
		% within Sex	34.8%	37.5%	35.7%
	African American	Count	35	17	52
		% within Sex	53.0%	53.1%	53.1%
	Hispanic	Count	6	3	9
		% within Sex	9.1%	9.4%	9.2%
	Asian-Pacific Islander	Count	1		1
		% within Sex	1.5%		1.0%
	Am Indian-Alaskan	Count	1		1
		% within Sex	1.5%		1.0%
Total	Count	66	32	98	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Temple-Killeen

Cumulative Reported HIV Infection Cases through 12/31/02
(from the 02/27/03 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	31		31
		% within Sex	47.0%		31.6%
	IDU	Count	2	4	6
		% within Sex	3.0%	12.5%	6.1%
	M-M & IDU	Count	7		7
		% within Sex	10.6%		7.1%
	Heterosexual Contact	Count	5	10	15
		% within Sex	7.6%	31.3%	15.3%
	Not Classified	Count	21	17	38
		% within Sex	31.8%	53.1%	38.8%
	Ped Other-Undet	Count		1	1
		% within Sex		3.1%	1.0%
Total	Count	66	32	98	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Temple-Killeen

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Race-Ethnicity	White Non-Hispanic	Count		35	35
		% within Adult-Ped		36.1%	35.7%
	African American	Count	1	51	52
		% within Adult-Ped	100.0%	52.6%	53.1%
	Hispanic	Count		9	9
		% within Adult-Ped		9.3%	9.2%
	Asian-Pacific Islander	Count		1	1
		% within Adult-Ped		1.0%	1.0%
	Am Indian-Alaskan	Count		1	1
		% within Adult-Ped		1.0%	1.0%
Total		Count	1	97	98
		% within Adult-Ped	100.0%	100.0%	100.0%

a. HSDA = Temple-Killeen

Cumulative Reported HIV Infection Cases through 12/31/02
(from the 02/27/03 HARS data set)

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Sex	Male	Count		66	66
		% within Adult-Ped		68.0%	67.3%
	Female	Count	1	31	32
		% within Adult-Ped	100.0%	32.0%	32.7%
Total		Count	1	97	98
		% within Adult-Ped	100.0%	100.0%	100.0%

a. HSDA = Temple-Killeen

HSDA = Temple-Killeen

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	5-12	Count		1	1
		% within Sex		3.1%	1.0%
	13-19	Count	5	7	12
		% within Sex	7.8%	21.9%	12.5%
	20-24	Count	7	1	8
		% within Sex	10.9%	3.1%	8.3%
	25-29	Count	8	6	14
		% within Sex	12.5%	18.8%	14.6%
	30-39	Count	27	12	39
		% within Sex	42.2%	37.5%	40.6%
	40-49	Count	15	4	19
		% within Sex	23.4%	12.5%	19.8%
	50-59	Count	2		2
		% within Sex	3.1%		2.1%
	60-69	Count		1	1
		% within Sex		3.1%	1.0%
Total		Count	64	32	96
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Temple-Killeen

Living Reported HIV Infection Cases through 12/31/02
(from the 02/27/03 HARS data set)

Current Age * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Current Age	5-12	Count		1	1
		% within Sex		3.1%	1.0%
	13-19	Count		5	5
		% within Sex		15.6%	5.2%
	20-24	Count	10	1	11
		% within Sex	15.6%	3.1%	11.5%
	25-29	Count	5	5	10
		% within Sex	7.8%	15.6%	10.4%
	30-39	Count	23	9	32
		% within Sex	35.9%	28.1%	33.3%
	40-49	Count	22	10	32
		% within Sex	34.4%	31.3%	33.3%
	50-59	Count	4		4
		% within Sex	6.3%		4.2%
	60-69	Count		1	1
		% within Sex		3.1%	1.0%
Total		Count	64	32	96
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Temple-Killeen

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	23	12	35
		% within Sex	35.9%	37.5%	36.5%
	African American	Count	33	17	50
		% within Sex	51.6%	53.1%	52.1%
	Hispanic	Count	6	3	9
		% within Sex	9.4%	9.4%	9.4%
	Asian-Pacific Islander	Count	1		1
		% within Sex	1.6%		1.0%
	Am Indian-Alaskan	Count	1		1
		% within Sex	1.6%		1.0%
	Total	Count	64	32	96
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Temple-Killeen

Living Reported HIV Infection Cases through 12/31/02
(from the 02/27/03 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	30		30
		% within Sex	46.9%		31.3%
	IDU	Count	2	4	6
		% within Sex	3.1%	12.5%	6.3%
	M-M & IDU	Count	7		7
		% within Sex	10.9%		7.3%
	Heterosexual Contact	Count	5	10	15
		% within Sex	7.8%	31.3%	15.6%
	Not Classified	Count	20	17	37
		% within Sex	31.3%	53.1%	38.5%
	Ped Other-Undet	Count		1	1
		% within Sex		3.1%	1.0%
Total	Count	64	32	96	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Temple-Killeen

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Race-Ethnicity	White Non-Hispanic	Count		35	35
		% within Adult-Ped		36.8%	36.5%
	African American	Count	1	49	50
		% within Adult-Ped	100.0%	51.6%	52.1%
	Hispanic	Count		9	9
		% within Adult-Ped		9.5%	9.4%
	Asian-Pacific Islander	Count		1	1
		% within Adult-Ped		1.1%	1.0%
	Am Indian-Alaskan	Count		1	1
		% within Adult-Ped		1.1%	1.0%
Total	Count	1	95	96	
	% within Adult-Ped	100.0%	100.0%	100.0%	

a. HSDA = Temple-Killeen

Living Reported HIV Infection Cases through 12/31/02
(from the 02/27/03 HARS data set)

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Sex	Male	Count		64	64
		% within Adult-Ped		67.4%	66.7%
	Female	Count	1	31	32
		% within Adult-Ped	100.0%	32.6%	33.3%
Total		Count	1	95	96
		% within Adult-Ped	100.0%	100.0%	100.0%

a. HSDA = Temple-Killeen

AIDS Cases Reported during 2002
(from the 02/27/03 HARS data set)

HSDA = Temple-Killeen

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	13-19	Count		1	1
		% within Sex		25.0%	5.0%
	20-24	Count	2		2
		% within Sex	12.5%		10.0%
	25-29	Count	3		3
		% within Sex	18.8%		15.0%
	30-39	Count	5	1	6
		% within Sex	31.3%	25.0%	30.0%
	40-49	Count	5	1	6
		% within Sex	31.3%	25.0%	30.0%
	50-59	Count	1	1	2
		% within Sex	6.3%	25.0%	10.0%
Total	Count	16	4	20	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Temple-Killeen

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	7	1	8
		% within Sex	43.8%	25.0%	40.0%
	African American	Count	6	2	8
		% within Sex	37.5%	50.0%	40.0%
	Hispanic	Count	3	1	4
		% within Sex	18.8%	25.0%	20.0%
Total	Count	16	4	20	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Temple-Killeen

AIDS Cases Reported during 2002
(from the 02/27/03 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	6		6
		% within Sex	37.5%		30.0%
	IDU	Count	2	1	3
		% within Sex	12.5%	25.0%	15.0%
	M-M & IDU	Count	1		1
		% within Sex	6.3%		5.0%
	Heterosexual Contact	Count		3	3
		% within Sex		75.0%	15.0%
	Not Classified	Count	7		7
		% within Sex	43.8%		35.0%
Total	Count	16	4	20	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Temple-Killeen

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped	Total
			Adult/Adol escent	
Race-Ethnicity	White Non-Hispanic	Count	8	8
		% within Adult-Ped	40.0%	40.0%
	African American	Count	8	8
		% within Adult-Ped	40.0%	40.0%
	Hispanic	Count	4	4
		% within Adult-Ped	20.0%	20.0%
Total	Count	20	20	
	% within Adult-Ped	100.0%	100.0%	

a. HSDA = Temple-Killeen

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped	Total
			Adult/Adol escent	
Sex	Male	Count	16	16
		% within Adult-Ped	80.0%	80.0%
	Female	Count	4	4
		% within Adult-Ped	20.0%	20.0%
Total		Count	20	20
		% within Adult-Ped	100.0%	100.0%

a. HSDA = Temple-Killeen

AIDS Cases Reported during 2001
(from the 02/27/03 HARS data set)

HSDA = Temple-Killeen

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	25-29	Count	1		1
		% within Sex	4.2%		3.0%
	30-39	Count	14	7	21
		% within Sex	58.3%	77.8%	63.6%
	40-49	Count	6	2	8
		% within Sex	25.0%	22.2%	24.2%
	50-59	Count	2		2
		% within Sex	8.3%		6.1%
	60-69	Count	1		1
		% within Sex	4.2%		3.0%
Total	Count	24	9	33	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Temple-Killeen

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	11	3	14
		% within Sex	45.8%	33.3%	42.4%
	African American	Count	6	4	10
		% within Sex	25.0%	44.4%	30.3%
	Hispanic	Count	6	2	8
		% within Sex	25.0%	22.2%	24.2%
	Asian-Pacific Islander	Count	1		1
		% within Sex	4.2%		3.0%
Total	Count	24	9	33	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Temple-Killeen

AIDS Cases Reported during 2001
(from the 02/27/03 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	10		10
		% within Sex	41.7%		30.3%
	IDU	Count	1	1	2
		% within Sex	4.2%	11.1%	6.1%
	Heterosexual Contact	Count	1	2	3
		% within Sex	4.2%	22.2%	9.1%
	Not Classified	Count	12	6	18
		% within Sex	50.0%	66.7%	54.5%
Total	Count	24	9	33	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Temple-Killeen

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped	Total
			Adult/Adol escent	
Race-Ethnicity	White Non-Hispanic	Count	14	14
		% within Adult-Ped	42.4%	42.4%
	African American	Count	10	10
		% within Adult-Ped	30.3%	30.3%
	Hispanic	Count	8	8
		% within Adult-Ped	24.2%	24.2%
	Asian-Pacific Islander	Count	1	1
		% within Adult-Ped	3.0%	3.0%
Total	Count	33	33	
	% within Adult-Ped	100.0%	100.0%	

a. HSDA = Temple-Killeen

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped	Total
			Adult/Adol escent	
Sex	Male	Count	24	24
		% within Adult-Ped	72.7%	72.7%
	Female	Count	9	9
		% within Adult-Ped	27.3%	27.3%
Total		Count	33	33
		% within Adult-Ped	100.0%	100.0%

a. HSDA = Temple-Killeen

Cumulative Reported AIDS Cases through 12/31/02
(from the 02/27/03 HARS data set)

HSDA = Temple-Killeen

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count		3	3
		% within Sex		3.0%	.8%
	1 (12-23 mo)	Count		2	2
		% within Sex		2.0%	.5%
	2-4	Count		1	1
		% within Sex		1.0%	.3%
	13-19	Count	3	2	5
		% within Sex	1.1%	2.0%	1.3%
	20-24	Count	15	5	20
		% within Sex	5.5%	5.0%	5.4%
	25-29	Count	38	19	57
		% within Sex	14.0%	18.8%	15.3%
	30-39	Count	128	43	171
		% within Sex	47.2%	42.6%	46.0%
	40-49	Count	56	16	72
		% within Sex	20.7%	15.8%	19.4%
	50-59	Count	19	8	27
		% within Sex	7.0%	7.9%	7.3%
	60-69	Count	11	2	13
		% within Sex	4.1%	2.0%	3.5%
	70+	Count	1		1
		% within Sex	.4%		.3%
Total		Count	271	101	372
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Temple-Killeen

Cumulative Reported AIDS Cases through 12/31/02
(from the 02/27/03 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	150	41	191
		% within Sex	55.4%	40.6%	51.3%
	African American	Count	75	45	120
		% within Sex	27.7%	44.6%	32.3%
	Hispanic	Count	42	14	56
		% within Sex	15.5%	13.9%	15.1%
	Asian-Pacific Islander	Count	3	1	4
		% within Sex	1.1%	1.0%	1.1%
	Am Indian-Alaskan	Count	1		1
		% within Sex	.4%		.3%
Total	Count	271	101	372	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Temple-Killeen

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	128		128
		% within Sex	47.2%		34.4%
	IDU	Count	28	20	48
		% within Sex	10.3%	19.8%	12.9%
	M-M & IDU	Count	22		22
		% within Sex	8.1%		5.9%
	Hemophiliac	Count	3		3
		% within Sex	1.1%		.8%
	Heterosexual Contact	Count	14	31	45
		% within Sex	5.2%	30.7%	12.1%
	Transfusion	Count	12	4	16
		% within Sex	4.4%	4.0%	4.3%
	Not Classified	Count	64	40	104
		% within Sex	23.6%	39.6%	28.0%
	Ped Parent at Risk	Count		6	6
		% within Sex		5.9%	1.6%
Total		Count	271	101	372
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Temple-Killeen

Cumulative Reported AIDS Cases through 12/31/02
(from the 02/27/03 HARS data set)

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Race-Ethnicity	White Non-Hispanic	Count	1	190	191
		% within Adult-Ped	16.7%	51.9%	51.3%
	African American	Count	4	116	120
		% within Adult-Ped	66.7%	31.7%	32.3%
	Hispanic	Count	1	55	56
		% within Adult-Ped	16.7%	15.0%	15.1%
	Asian-Pacific Islander	Count		4	4
		% within Adult-Ped		1.1%	1.1%
	Am Indian-Alaskan	Count		1	1
		% within Adult-Ped		.3%	.3%
Total	Count	6	366	372	
	% within Adult-Ped	100.0%	100.0%	100.0%	

a. HSDA = Temple-Killeen

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Sex	Male	Count		271	271
		% within Adult-Ped		74.0%	72.8%
	Female	Count	6	95	101
		% within Adult-Ped	100.0%	26.0%	27.2%
Total		Count	6	366	372
		% within Adult-Ped	100.0%	100.0%	100.0%

a. HSDA = Temple-Killeen

Living Reported AIDS Cases through 12/31/02
(from the 02/27/03 HARS data set)

HSDA = Temple-Killeen

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count		2	2
		% within Sex		3.0%	1.0%
	1 (12-23 mo)	Count		1	1
		% within Sex		1.5%	.5%
	13-19	Count	3	2	5
		% within Sex	2.4%	3.0%	2.6%
	20-24	Count	8	3	11
		% within Sex	6.3%	4.5%	5.7%
	25-29	Count	14	13	27
		% within Sex	11.0%	19.7%	14.0%
	30-39	Count	65	29	94
		% within Sex	51.2%	43.9%	48.7%
	40-49	Count	30	10	40
		% within Sex	23.6%	15.2%	20.7%
	50-59	Count	4	5	9
		% within Sex	3.1%	7.6%	4.7%
	60-69	Count	3	1	4
		% within Sex	2.4%	1.5%	2.1%
	Total	Count	127	66	193
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Temple-Killeen

Living Reported AIDS Cases through 12/31/02
(from the 02/27/03 HARS data set)

Current Age * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Current Age	5-12	Count		1	1
		% within Sex		1.5%	.5%
	13-19	Count		3	3
		% within Sex		4.5%	1.6%
	20-24	Count	4	1	5
		% within Sex	3.1%	1.5%	2.6%
	25-29	Count	9	1	10
		% within Sex	7.1%	1.5%	5.2%
	30-39	Count	53	25	78
		% within Sex	41.7%	37.9%	40.4%
	40-49	Count	48	23	71
		% within Sex	37.8%	34.8%	36.8%
Total	50-59	Count	6	9	15
		% within Sex	4.7%	13.6%	7.8%
	60-69	Count	5	2	7
		% within Sex	3.9%	3.0%	3.6%
	70+	Count	2	1	3
		% within Sex	1.6%	1.5%	1.6%
	Total	Count	127	66	193
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Temple-Killeen

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	59	28	87
		% within Sex	46.5%	42.4%	45.1%
	African American	Count	43	28	71
		% within Sex	33.9%	42.4%	36.8%
	Hispanic	Count	24	9	33
		% within Sex	18.9%	13.6%	17.1%
	Asian-Pacific Islander	Count	1	1	2
		% within Sex	.8%	1.5%	1.0%
	Total	Count	127	66	193
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Temple-Killeen

Living Reported AIDS Cases through 12/31/02
(from the 02/27/03 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	60		60
		% within Sex	47.2%		31.1%
	IDU	Count	6	11	17
		% within Sex	4.7%	16.7%	8.8%
	M-M & IDU	Count	8		8
		% within Sex	6.3%		4.1%
	Hemophiliac	Count	2		2
		% within Sex	1.6%		1.0%
	Heterosexual Contact	Count	8	22	30
		% within Sex	6.3%	33.3%	15.5%
Total	Transfusion	Count	3	2	5
		% within Sex	2.4%	3.0%	2.6%
	Not Classified	Count	40	28	68
		% within Sex	31.5%	42.4%	35.2%
	Ped Parent at Risk	Count		3	3
		% within Sex		4.5%	1.6%
	Total	Count	127	66	193
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Temple-Killeen

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Race-Ethnicity	White Non-Hispanic	Count	1	86	87
		% within Adult-Ped	33.3%	45.3%	45.1%
	African American	Count	2	69	71
		% within Adult-Ped	66.7%	36.3%	36.8%
	Hispanic	Count		33	33
		% within Adult-Ped		17.4%	17.1%
	Asian-Pacific Islander	Count		2	2
		% within Adult-Ped		1.1%	1.0%
Total	Total	Count	3	190	193
		% within Adult-Ped	100.0%	100.0%	100.0%

a. HSDA = Temple-Killeen

Living Reported AIDS Cases through 12/31/02
(from the 02/27/03 HARS data set)

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Sex	Male	Count		127	127
		% within Adult-Ped		66.8%	65.8%
	Female	Count	3	63	66
		% within Adult-Ped	100.0%	33.2%	34.2%
Total		Count	3	190	193
		% within Adult-Ped	100.0%	100.0%	100.0%

a. HSDA = Temple-Killeen

Prevalent Reported Cases of HIV/AIDS through 12/31/02
(Living HIV/AIDS Cases - combined - from 02/27/03 HARS data)

HSDA = Temple-Killeen

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count		2	2
		% within Sex		2.0%	.7%
	1 (12-23 mo)	Count		1	1
		% within Sex		1.0%	.3%
	5-12	Count		1	1
		% within Sex		1.0%	.3%
	13-19	Count	8	9	17
		% within Sex	4.2%	9.2%	5.9%
	20-24	Count	15	4	19
		% within Sex	7.9%	4.1%	6.6%
	25-29	Count	22	19	41
		% within Sex	11.5%	19.4%	14.2%
	30-39	Count	92	41	133
		% within Sex	48.2%	41.8%	46.0%
	40-49	Count	45	14	59
		% within Sex	23.6%	14.3%	20.4%
	50-59	Count	6	5	11
		% within Sex	3.1%	5.1%	3.8%
	60-69	Count	3	2	5
		% within Sex	1.6%	2.0%	1.7%
Total	Count	191	98	289	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Temple-Killeen

Prevalent Reported Cases of HIV/AIDS through 12/31/02
(Living HIV/AIDS Cases - combined - from 02/27/03 HARS data)

Current Age * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Current Age	5-12	Count		2	2
		% within Sex		2.0%	.7%
	13-19	Count		8	8
		% within Sex		8.2%	2.8%
	20-24	Count	14	2	16
		% within Sex	7.3%	2.0%	5.5%
	25-29	Count	14	6	20
		% within Sex	7.3%	6.1%	6.9%
	30-39	Count	76	34	110
		% within Sex	39.8%	34.7%	38.1%
	40-49	Count	70	33	103
		% within Sex	36.6%	33.7%	35.6%
	50-59	Count	10	9	19
		% within Sex	5.2%	9.2%	6.6%
	60-69	Count	5	3	8
		% within Sex	2.6%	3.1%	2.8%
	70+	Count	2	1	3
		% within Sex	1.0%	1.0%	1.0%
Total		Count	191	98	289
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Temple-Killeen

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	82	40	122
		% within Sex	42.9%	40.8%	42.2%
	African American	Count	76	45	121
		% within Sex	39.8%	45.9%	41.9%
	Hispanic	Count	30	12	42
		% within Sex	15.7%	12.2%	14.5%
	Asian-Pacific Islander	Count	2	1	3
		% within Sex	1.0%	1.0%	1.0%
	Am Indian-Alaskan	Count	1		1
		% within Sex	.5%		.3%
Total	Count	191	98	289	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Temple-Killeen

Prevalent Reported Cases of HIV/AIDS through 12/31/02
(Living HIV/AIDS Cases - combined - from 02/27/03 HARS data)

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	90		90
		% within Sex	47.1%		31.1%
	IDU	Count	8	15	23
		% within Sex	4.2%	15.3%	8.0%
	M-M & IDU	Count	15		15
		% within Sex	7.9%		5.2%
	Hemophiliac	Count	2		2
		% within Sex	1.0%		.7%
	Heterosexual Contact	Count	13	32	45
		% within Sex	6.8%	32.7%	15.6%
	Transfusion	Count	3	2	5
		% within Sex	1.6%	2.0%	1.7%
	Not Classified	Count	60	45	105
		% within Sex	31.4%	45.9%	36.3%
	Ped Parent at Risk	Count		3	3
		% within Sex		3.1%	1.0%
	Ped Other-Undet	Count		1	1
		% within Sex		1.0%	.3%
Total		Count	191	98	289
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Temple-Killeen

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Race-Ethnicity	White Non-Hispanic	Count	1	121	122
		% within Adult-Ped	25.0%	42.5%	42.2%
	African American	Count	3	118	121
		% within Adult-Ped	75.0%	41.4%	41.9%
	Hispanic	Count		42	42
		% within Adult-Ped		14.7%	14.5%
	Asian-Pacific Islander	Count		3	3
		% within Adult-Ped		1.1%	1.0%
	Am Indian-Alaskan	Count		1	1
		% within Adult-Ped		.4%	.3%
Total		Count	4	285	289
		% within Adult-Ped	100.0%	100.0%	100.0%

a. HSDA = Temple-Killeen

Prevalent Reported Cases of HIV/AIDS through 12/31/02
(Living HIV/AIDS Cases - combined - from 02/27/03 HARS data)

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Sex	Male	Count		191	191
		% within Adult-Ped		67.0%	66.1%
	Female	Count	4	94	98
		% within Adult-Ped	100.0%	33.0%	33.9%
Total		Count	4	285	289
		% within Adult-Ped	100.0%	100.0%	100.0%

a. HSDA = Temple-Killeen